

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 04/09/2019 Revision date: 20/01/2023 Supersedes version of: 05/01/2022 Version: 6.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name BioTroop RapidX

Product code 160625

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaning/washing agents and additives : Cleaning/washing agents and additives Function or use category

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

SmartPipe System Oy.

Ohtolankatu 1

01510 Vantaa

**FINLAND** 

+358 10 212 230

info@smartpipe.fl

#### 1.4. Emergency telephone number

Emergency number : +358 9 471 977

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H302 Acute toxicity (oral), Category 4 H315 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 H318 Specific target organ toxicity - Single exposure, Category 3, Respiratory H335

tract irritation

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause respiratory irritation. Causes skin irritation. Causes serious eye damage.

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS07

Signal word (CLP) : Danger

Contains Urea Hydrochloride

Hazard statements (CLP) : H302 - Harmful if swallowed.

H315 - Causes skin irritation. H318 - Causes serious eye damage. H335 - May cause respiratory irritation. : P261 - Avoid breathing mist, spray.

Precautionary statements (CLP)

P280 - Wear protective gloves, eye protection.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Urea Hydrochloride	CAS-No.: 506-89-8 EC-No.: 208-059-6	≥ 20 - < 30	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Ethane-1,2-diol substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Methanol substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	< 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	( 3 ≤C < 10) STOT SE 2, H371 ( 10 ≤C ≤ 100) STOT SE 1, H370

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact

with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

Ethane-1,2-diol (107-21-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Ethylene glycol	
IOEL TWA	52 mg/m³	
IOEL STEL	104 mg/m³	
IOEL STEL [ppm]	40 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Ethane-1,2-diol	
WEL TWA (OEL TWA) [1]	10 mg/m³ particulate 52 mg/m³ vapour	
WEL TWA (OEL TWA) [2]	20 ppm vapour	
WEL STEL (OEL STEL)	104 mg/m³ vapour	
WEL STEL (OEL STEL) [ppm]	40 ppm vapour	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Methanol (67-56-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Methanol	
IOEL TWA	260 mg/m³	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Methanol	
WEL TWA (OEL TWA) [1]	266 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	333 mg/m³	
WEL STEL (OEL STEL) [ppm]	250 ppm	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Methanol (67-56-1)	
	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

## Respiratory protection:

No respiratory protection needed under normal use conditions

### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Copper coloured.

Appearance : Clear liquid.

Odour : Slightly Acidic.

Odour threshold : Not available

Melting point : Not applicable

Freezing point : Not available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point : ≥ 100 °C Flammability : Non flammable. Explosive properties : Not explosive. Not oxidising. Oxidising properties **Explosive limits** Not available Lower explosion limit Not available Upper explosion limit Not available Flash point Not flammable Auto-ignition temperature : Not available Decomposition temperature : Not available

pH : < 2

: Not available Viscosity, kinematic Solubility Miscible Partition coefficient n-octanol/water (Log Kow) Not available Not available Vapour pressure Vapour pressure at 50°C : Not available Density : 1.08 - 1.1 g/ml Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ATE CLP (oral) 1736.111 mg/kg bodyweight    Ethane-1,2-diol (107-21-1)    LD50 aral rat   7712 mg/kg bodyweight Animal: rat    LD50 dermal rat   > 3500 mg/kg bodyweight Animal: mouse    Methanol (67-56-1)    LD80 aral rat   1187 - 2769 mg/kg bodyweight Animal: rat    Skin corrosion/irritation   Causes skin irritation    pht < 2    Serious eye damage/irritation   Causes skin irritation    pht < 2    Serious eye damage/irritation   Not classified    Germ cell mutagenicity   Not classified    Ethane-1,2-diol (107-21-1)    NOAEL (chronic, oral, animal/male, 2 years)   1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)    Reproductive toxicity   Not classified    Methanol (67-56-1)    NOAEL (animal/male, F0/P)   < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male    STOT-single exposure   May cause respiratory irritation.    Methanol (67-56-1)    STOT-single exposure   May cause respiratory irritation.    Methanol (67-56-1)    STOT-single exposure   Causes damage to organs.    STOT-repeated exposure   Causes damage to organs.    STOT-repeated exposure   Not classified    Ethane-1,2-diol (107-21-1)    STOT-repeated exposure   May cause damage to organs.    STOT-repeated exposure   Stot classified    Ethane-1,2-diol (107-21-1)    STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.    Methanol (67-56-1)    LOAEL (oral, rat, 90 days)   2340 mg/kg bodyweight Animal: monkey, Animal sex: male    LOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.11 mg/l air Animal: monkey    NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey    NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey    NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey    NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey    NOAEC (inhalation, rat, dust/mist/mist/mist/mist/mist/mist/mist/mi	BioTroop RapidX	
LD50 oral rat 7712 mg/kg bodyweight Animal: rat 250 oral rat 2500 mg/kg bodyweight Animal: mouse  Methanol (67-56-1)  LD50 oral rat 1187 – 2769 mg/kg bodyweight Animal: rat 5kin corrosion/irritation 1187 – 2769 mg/kg bodyweight Animal: rat 5kin corrosion/irritation 2	ATE CLP (oral)	1736.111 mg/kg bodyweight
LD50 dermal rat	Ethane-1,2-diol (107-21-1)	
Methanol (67-56-1)	LD50 oral rat	7712 mg/kg bodyweight Animal: rat
LD50 oral rat    1187 - 2769 mg/kg bodyweight Animal: rat   Skin corrosion/irritation	LD50 dermal rat	> 3500 mg/kg bodyweight Animal: mouse
Skin corrosion/irritation  pft : 2  Serious eye damage/irritation  pft : 2  Respiratory or skin sensitisation  care cell mutagenicity  in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  Respiratory in Not classified  Serious eye damage. pft : 2  Respiratory or skin sensitisation  Respiratory in Not classified  Serious eye damage. pft : 2  Respiratory eye damage. pft : 2  Respiratory in Not classified  Serious eye damage. pft : 2  Respiratory eye damage. pft : 2  Repoductive eye damage. pft : 2  Repoductive eye damage. pft : 2  Respiratory eye damage. pft : 2  Repiratory eye damage. pft : 2  Respiratory eye damage. pft : 2  Repoductive eye damage. pft	Methanol (67-56-1)	
Serious eye damage/irritation : Causes serious eye damage. pH: < 2 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified  Ethane-1,2-diol (107-21-1)  NOAEL (chronic, oral, animal/male, 2 years)	LD50 oral rat	1187 – 2769 mg/kg bodyweight Animal: rat
Serious eye damage/irritation : Causes serious eye damage. pH: < 2 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified  Ethane-1,2-diol (107-21-1)  NOAEL (chronic, oral, animal/male, 2 years)   1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other.Effect type: carcinogenicity (migrated information)  Reproductive toxicity : Not classified  Methanol (67-56-1)  NOAEL (animal/male, F0/P)   < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure : May cause respiratory irritation.  Urea Hydrochloride (506-89-8)  STOT-single exposure   May cause respiratory irritation.  Methanol (67-56-1)  STOT-single exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure   May cause damage to organs.  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days)   2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey  Apiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	Skin corrosion/irritation :	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified  Ethane-1,2-diol (107-21-1)  NOAEL (chronic, oral, animal/male, 2 years)   1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)  Reproductive toxicity : Not classified  Methanol (67-56-1)  NOAEL (animal/male, F0/P)   < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male  STOT-single exposure : May cause respiratory irritation.  Urea Hydrochloride (506-89-8)  STOT-single exposure   May cause respiratory irritation.  Methanol (67-56-1)  STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days)   2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	Serious eye damage/irritation :	Causes serious eye damage.
Carcinogenicity : Not classified  Ethane-1,2-diol (107-21-1)  NOAEL (chronic, oral, animal/male, 2 years)   1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)  Reproductive toxicity : Not classified  Methanol (67-56-1)  NOAEL (animal/male, F0/P)   < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male  STOT-single exposure : May cause respiratory irritation.  Urea Hydrochloride (506-89-8)  STOT-single exposure   May cause respiratory irritation.  Methanol (67-56-1)  STOT-single exposure   Causes damage to organs.  STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEC (inhalation, rat, 90 days)   2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)		Not classified
Ethane-1,2-diol (107-21-1)  NOAEL (chronic, oral, animal/male, 2 years)  1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)  Reproductive toxicity:  Not classified  Methanol (67-56-1)  NOAEL (animal/male, F0/P)		
NOAEL (chronic, oral, animal/male, 2 years)  1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)  Reproductive toxicity: Not classified  Methanol (67-56-1)  NOAEL (animal/male, F0/P)  NOAEL (animal/male, F0/P)  **County of the sex of the		Not classified
other:Effect type: carcinogenicity (migrated information)  Reproductive toxicity : Not classified  Methanol (67-56-1)  NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male  STOT-single exposure : May cause respiratory irritation.  Urea Hydrochloride (506-89-8)  STOT-single exposure   May cause respiratory irritation.  Methanol (67-56-1)  STOT-single exposure   Causes damage to organs.  STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days)   2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.013 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)		
Methanol (67-56-1)         NOAEL (animal/male, F0/P)       < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male	NOAEL (chronic, oral, animal/male, 2 years)	
NOAEL (animal/male, F0/P) <a href="#">&lt; 1000 mg/kg bodyweight Animal: mouse, Animal sex: male</a> STOT-single exposure : May cause respiratory irritation.  Urea Hydrochloride (506-89-8) STOT-single exposure   May cause respiratory irritation.  Methanol (67-56-1) STOT-single exposure   Causes damage to organs. STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1) STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1) LOAEL (oral, rat, 90 days)   2340 mg/kg bodyweight Animal: monkey, Animal sex: male LOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	Reproductive toxicity :	Not classified
STOT-single exposure : May cause respiratory irritation.  Urea Hydrochloride (506-89-8)  STOT-single exposure May cause respiratory irritation.  Methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days) 2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	Methanol (67-56-1)	
Urea Hydrochloride (506-89-8)  STOT-single exposure May cause respiratory irritation.  Methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days) 2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	NOAEL (animal/male, F0/P)	< 1000 mg/kg bodyweight Animal: mouse, Animal sex: male
STOT-single exposure May cause respiratory irritation.  Methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days) 2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	STOT-single exposure :	May cause respiratory irritation.
Methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days) 2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days) 2.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	Urea Hydrochloride (506-89-8)	
STOT-single exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days)   2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days)   0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified	STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure : Not classified  Ethane-1,2-diol (107-21-1)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days) 2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat,dust/mist/fume, 90 days) 0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	Methanol (67-56-1)	
Ethane-1,2-diol (107-21-1)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Methanol (67-56-1)  LOAEL (oral, rat, 90 days) 2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat,dust/mist/fume, 90 days) 0.13 mg/l air Animal: monkey  NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.013 mg/l air Animal: monkey  Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	STOT-single exposure	Causes damage to organs.
STOT-repeated exposure  Methanol (67-56-1)  LOAEL (oral, rat, 90 days)  LOAEC (inhalation, rat,dust/mist/fume, 90 days)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  Aspiration hazard  May cause damage to organs through prolonged or repeated exposure.  2340 mg/kg bodyweight Animal: monkey, Animal sex: male  0.13 mg/l air Animal: monkey  1. Not classified  Ethane-1,2-diol (107-21-1)	STOT-repeated exposure :	Not classified
Methanol (67-56-1)  LOAEL (oral, rat, 90 days)  LOAEC (inhalation, rat,dust/mist/fume, 90 days)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  Aspiration hazard  Ethane-1,2-diol (107-21-1)	Ethane-1,2-diol (107-21-1)	
LOAEL (oral, rat, 90 days)  2340 mg/kg bodyweight Animal: monkey, Animal sex: male  LOAEC (inhalation, rat, dust/mist/fume, 90 days)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  Aspiration hazard  Ethane-1,2-diol (107-21-1)	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
LOAEC (inhalation, rat, dust/mist/fume, 90 days)  NOAEC (inhalation, rat, dust/mist/fume, 90 days)  Aspiration hazard  O.13 mg/l air Animal: monkey  Not classified  Ethane-1,2-diol (107-21-1)	Methanol (67-56-1)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)  Aspiration hazard: Not classified  Ethane-1,2-diol (107-21-1)	LOAEL (oral, rat, 90 days)	2340 mg/kg bodyweight Animal: monkey, Animal sex: male
Aspiration hazard : Not classified  Ethane-1,2-diol (107-21-1)	LOAEC (inhalation, rat,dust/mist/fume, 90 days)	0.13 mg/l air Animal: monkey
Ethane-1,2-diol (107-21-1)	NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.013 mg/l air Animal: monkey
	Aspiration hazard :	Not classified
Viscosity, kinematic 14.505 mm²/s	Ethane-1,2-diol (107-21-1)	
	Viscosity, kinematic	14.505 mm²/s

# 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

(ornerne)	
Ethane-1,2-diol (107-21-1)	
LC50 - Fish [1]	72860 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	3536 mg/l Test organisms (species): other:grenn algae
EC50 96h - Algae [2]	6500 – 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'
Methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l Test organisms (species): Lepomis macrochirus
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

# 12.2. Persistence and degradability

BioTroop RapidX	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber	'		
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)	Corrosive liquid, acidic, organic, n.o.s. (Urea Hydrochloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)
Transport document descr	iption			
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III	UN 3265 Corrosive liquid, acidic, organic, n.o.s. (Urea Hydrochloride), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III
14.3. Transport hazard	class(es)			
8	8	8	8	8
8	8	8	8	8
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	on available	I	I	I

# 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : C3
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

20/01/2023 (Revision date) GB - en 9/13

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 80

3265

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Segregation (IMDG) : SGG1, SG36, SG49

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C3

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C3
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

Chemical Safety Assessment not required

# **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H371	May cause damage to organs.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.